





LP Series

■ 尺寸 Dimensions

Φ D×L (mm)	W <sub>V</sub> (V)		200		220		250		400		420		450		500	
	浪涌电压 U <sub>s</sub>		200		270		300		450		470		500		550	
	容量 C <sub>R</sub> (μF)		Cap	Ripple	Cap	Ripple	Cap	Ripple	Cap	Ripple	Cap	Ripple	Cap	Ripple	Cap	Ripple
	μF	Arms	μF	Arms	μF	Arms	μF	Arms	μF	Arms	μF	Arms	μF	Arms	μF	Arms
20×25					220	1.23			68	0.70	68	0.70				
20×30									82	0.80	82	0.80				
20×35									100 120	0.90 1.04	100 120	0.90 1.04				
22×25	330	1.3	220	1.2	270	1.42			68	0.55	82	0.80				
22×30	390	1.5	330	1.4	330	1.59	220	1.1	100	0.7	100 120	0.97 1.07	68	0.57		
22×35	560	1.9	390	1.6	390 470	1.8 2.06	270	1.2	120	0.79	150	1.21	100	0.72	120	0.51
22×40	680	2.1	470 560	1.8 1.9	470 560	2.10 2.22	330	1.4	150	0.90	180 220	1.33 1.40	120	0.80		
22×45			560	2.0	680	2.62	390	1.6	180	1.0						
22×50	820	2.5					470	1.8	220	1.1			150	0.95		
25×25	390	1.5	330	1.4			220	1.1	100	0.7			120	0.83		
25×30	560	1.9	390	1.6			330	1.4	150	0.89			100	0.73		
25×35	680	2.2	560	2.0			390	1.6	180	1.0	220	1.56	120	0.83		
25×40	820	2.4	680	2.3			470	1.8	220	1.2	270	1.67	150	0.95		
25×45	1000	2.7					560	2.0	270	1.3	270	1.72	180	1.1	220	1.20
25×50	1200	3.1	820	2.6	1000	3.53					330	1.76	220	1.2		
30×25	560	2.0	470	1.9			330	1.5	150	0.95						
30×30	820	2.5	560	2.1			470	1.8	180	1.1	270	1.77	150	0.98		
30×35	1000	2.8	680	2.4	820	2.84	560	2.0	220	1.2	270	1.78	180	1.1	180	1.20
30×40	1200	3.2	820	2.7			680	2.3	270	1.4	330 390	1.98 2.22	220	1.3		
30×45	1500	3.7	1000	3.1	1200	3.72	820	2.6	330	1.6	330	2.24	270	1.4	220	1.30
30×50			1200	3.4			1000	1.9	390	1.8	390	1.67				
35×25	820	2.4	680	2.2			470	2.4	180	1.2			180	1.2		
35×30	1000	2.7	820	2.5			680	2.6	270	1.5			220	1.3	150	1.35
35×35	1200	3.0	1000	3.8			820	2.6	330 470	1.7 1.8			270	1.5		
35×40	1500	3.5	1200	3.2	1500	4.10	1000	3.0	390	1.8	470	2.50				
35×45	1800	3.9			1800	4.52	1200	3.4	470	2.1	560	2.95	390	1.9		
35×50	2200	4.5	1800	4.1					560	2.3			470	2.2		

——— 额定纹波电流 Rated ripple current(Arms,+85°C,120Hz)

Snap-in