





LH Series

■ 尺寸 Dimensions

ØD × L(mm)

Cap.(µF)	Code	160V(2C)		200V(2D)		250V(2E)		400V(2G)		450V(2w)	
		200		250		300		450		500	
		D×L	(A)	D×L	(A)	D×L	(A)	D×L	(A)	D×L	(A)
39	390							22×25	0.32		
56	560							22×30	0.39	22×25	0.70
								25×25	0.40		
68	680							22×35	0.45		
								25×30	0.46		
82	820							22×40	0.51	22×30	0.83
								30×25	0.53		
100	101					22×25	0.45	25×35	0.57	22×35	0.93
								30×30	0.61		
								35×25	0.65		
120								22×50	0.64	22×40	1.04
								25×40	0.63		
150	151					22×30	0.58	25×50	0.75	22×50	1.19
						25×25	0.58	30×35	0.77		
								35×30	0.83		
180	181	22×25	0.65	22×25	0.65	22×35	0.65	30×40	0.87		
								35×35	0.93		
220	221			22×30	0.75	22×40	0.75	30×50	1.0	25×50	1.55
				25×25	0.75	25×30	0.73	35×40	1.1		
						30×25	0.77				
270	271	22×30	0.83	22×35	0.86	25×35	0.83			30×45	1.78
		25×25	0.82			30×30	0.88				
						35×25	0.93				
330	331	22×35	0.94	25×30	0.96	22×50	0.96			35×45	2.01
		22×40	1.24	30×25	1.0	25×40	0.95				
390	391	25×30	1.0	22×40	1.1	30×35	1.1	35×50	1.3	35×50	2.24
		22×40	1.1	25×35	1.1	35×30	1.2				
		30×25	1.1	35×25	1.2						
470	471	25×35	1.2	22×50	1.2	25×50	1.2			35×50	2.53
		35×25	1.3	25×40	1.2	30×40	1.2				
				30×30	1.2	35×35	1.3				
560	561	22×50	1.3	30×35	1.4	30×50	1.4				
		25×40	1.3	35×30	1.5	35×40	1.5				
		30×30	1.3								
680	681	25×50	1.5	25×50	1.5						
		35×30	1.6	30×40	1.6						
820	821	25×50	1.7	35×35	1.8	35×50	1.9				
		30×40	1.7								
		35×35	1.8								
1000	102	30×50	2.1	30×50	2.0						
		35×40	2.0	35×40	2.1						
1200	122			35×50	2.4						
1500	152	35×50	2.6								

U<sub>R</sub>— 额定工作电压

U<sub>S</sub>— 浪涌电压

— 额定纹波电流 Rated ripple current ( Arms +105°C, 120Hz)

Snap-in